

Green America Recycling, LLC

10107 Highway 79
 Hannibal, MO 63401
 (573) 248-0730 Fax (573) 221-8487
 Toll Free (866) 229-6262

| GAR USE ONLY | |
|--------------------------|--|
| Customer # | |
| S.I.D. # | |
| Date Received | |
| GAR Sales Representative | |

SAMPLE SUBMITTED Yes No

GAR, retains the right to request samples at any point in the approval process.

Waste Profile Survey

| | | |
|--|-------|---------------|
| A. Generator | | EPA ID # |
| Generator's Name | | Missouri ID # |
| Is the Generator a TSD? <input type="checkbox"/> Yes <input type="checkbox"/> No | | |
| Facility (Manifest) Address | | |
| Street | | P.O. Box |
| City | State | Zip |
| Tech. Contact | Title | Phone No. |

| | | |
|-------------------|-------|-----------|
| B. Billing | | |
| Billing Name | | |
| Street | | P.O. Box |
| City | State | Zip |
| Tech. Contact | Title | Phone No. |

| | | |
|---|--|--|
| C. General Waste Information | | |
| Material Description | | |
| Process Description | | |
| Shipping Container <i>-Check all that apply</i> <input type="checkbox"/> Bulk <input type="checkbox"/> Drums <input type="checkbox"/> Boxes/Bags | | |
| Shipping Method <i>-Check all that apply</i> <input type="checkbox"/> Truck <input type="checkbox"/> Railcar | | |
| Shipping Volume and Frequency <i>-Give Details</i> Example- 50 Drums per month | | |

| | | |
|---|--|--|
| D. Attach MSDS for components requiring employee communication under OSHA | | |
| Also, if available, attach current analysis representative of the material. | | |
| <input type="checkbox"/> MSDS attached <input type="checkbox"/> Analysis attached <input type="checkbox"/> No attachments | | |

H. Specific Analysis of Waste

-Must be completed if an analysis is not attached or a sample is not submitted

| | | | |
|-----------|-----|--------------------|--------|
| Arsenic | ppm | Fluorine | % |
| Selenium | ppm | Chlorine | % |
| Silver | ppm | Bromine | % |
| Nickel | ppm | Phosphorus | % |
| Lead | ppm | Sulfur | % |
| Thallium | ppm | Iodine | % |
| Cadmium | ppm | Aluminum | ppm |
| Barium | ppm | Silicon | ppm |
| Beryllium | ppm | Heat of Combustion | BTU/lb |
| Chromium | ppm | Specific Gravity | |
| Antimony | ppm | pH (range) | to |
| Mercury | ppm | Water | % |
| | | Ash | % |
| | | Flash point | °F |

I. Physical Properties

(Provide if available)

1. If **Liquid**, Viscosity Low Medium High

2. Is this material pumpable with centrifugal pump? Yes No Varies, Explain:

3. Can waste be heated to improve flow? Yes No

4. Is waste soluble in water? Yes No

5. Is waste multi-layered? Yes No, If Yes Describe:

6. Percent Solids in Liquid: %

7. Physical State Liquid Sludge Solid Lean Water

J. Check all of the following substances which may be in the material:

If any of these are checked identify substance and concentration on the line(s) :

- Nitrocellulose (Usually found in LACQUER DUST Streams)
- DOT Corrosives, Poisons, Forbiddens, Radioactives, Explosives, or Gases
- TSCA regulated materials (PCBs, PBBs, Chlorinated dibenzodioxins or furans)
- Materials used exclusively as pesticides, herbicides, insecticides, etc.
- Toxic components with ACGIH TLV less than 2 ppm or 8 mg/m³
- CERCLA Regulated (Superfund) Waste
- Water reactive components (Isocyanates, Acid Chlorides, Anhydrides, etc.)
- Biological hazards (Pathogenics, Infectious agents, Etiologic agents, etc.)
- None of the above

K. DOT Information

Proper shipping name _____

| | | |
|------------------------------|--------------|------|
| Hazard Class | UN/NA Number | P.G. |
| Special Handling Information | | |
| | | |

Not a DOT Hazardous Material

L. Required Certifications (Must be signed for acceptance by GAR)

Regarding the waste material submitted for acceptance to GAR, I certify all of the following:

- 1) That any PCB materials present at < 50 ppm in the waste shipment DID NOT result from any dilution of materials containing > 49 ppm PCBs. Furthermore, I certify that the waste shipment meets NONE of the definitions of descriptions of PCBs, PCB items, or PCB contaminated materials found in 40 CFR 761.1, 761.3, and 761.70.
- 2) In addition, if any of the waste codes listed in Appendix XI of 40 CFR 268 - Metal Bearing Wastes Prohibited from Dilution in a Combustion Unit According to 40 CFR 268.3 (C) - are present, at least one of the following criteria have been met.
 - a) The waste contains hazardous organic constituents or cyanide at levels exceeding the constituents - specific treatment standard found in 40 CFR 268.48. This is the table of Universal Treatment standards covering 126 organic approximately compounds. The vast majority of the limiting concentrations for waste waters are less than 1 mg/l.
 - b) The waste consists of organic debris-like materials, such as, wood, paper, plastics, or cloth, contaminated with inorganic metal-bearing hazardous waste.
 - c) The waste, at point of generation, has reasonable heating value such as greater than or equal to 5000 Btu per pound;
 - d) The waste is co-generated with wastes for which combustion is a required method of treatment. For a list of such wastes, see 40 CFR 268.40.
 - e) The waste is subject to federal and/or state requirements necessitating reduction of organics.
 - f) The waste contains greater than 1% Total Organic Carbon (TOC).
- 3) The waste does not contain Hg at concentrations equal to or greater than 260mg/kg or is otherwise subject to the lanc ban restriction on the combustion of Hg containing wastes found in 40CFR 268.40.

I further certify that all information submitted in this and all attached documents contains true and accurate descriptions of the waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed to GAR.

Name (Printed) _____
 Title _____
 Signature of Generator's Company Representative _____
 Date _____

Please list any other information you wish to communicate to GAR regarding this material.
 Attach additional sheets if necessary.